


HOMOLOGATION OF BRAKE SYSTEM

Manufacturer	Birel s.p.a.
Make	FREE LINE
Model	FL CX - I 24
Category	Formula Cadet
Valid from	01 January 2014
Valid until	31 December 2022
Number of pages	3

This Homologation Form reproduces descriptions, illustrations and dimensions of the brake system at the moment of the MSA homologation. The Manufacturer may modify them, but only within the limits set by the MSA Regulations in force and with the written agreement of the MSA.



SIGNATURE AND STAMP OF THE MSA

A SA

Date: **17 December 2013**


Signed by: Joe Hickerton

Position: **Technical Administrator**




TECHNICAL INFORMATION

		Measurement	Tolerance/Remark
A:	Master Cylinder Bore	19 mm	-
B:	Number of callipers	1	-
C:	Number of calliper pistons	1	per caliper
D:	Calliper piston bore(s)	24 mm	-
E:	Number of pads	2	per caliper
F:	Calliper material	Aluminium	-
G:	Disc material	Steel	-
H:	Drilled and/or Grooved?	Yes	-
l:	Vented disc?	No	-
J:	Thickness of new disc	5 mm	±1 mm (2.5mm minimum)
K:	External diameter of disc	150 mm	±1.5 mm
L:	Internal diameter of disc	109 mm	Maximum
M:	Number of mounting lugs	3	-







COMPLIMENTARY INFORMATION

02/CAD(B)/22



Extension to Kart Brake System Homologation *Variant*

ManufacturerBirel s.p.a.MakeFreelineModelFL CX - I 24

Valid from01 January 2020Valid until31 December 2022

Alternative master cylinder

		Measurement	Tolerance / Remark
Α	Master cylinder bore	19 mm	



· motograph of maotor of maor





Extension to Kart Brake System Homologation

Manufacturer	BirelART			
Make	Freeline	Freeline		
Model	FL CX – I 24			
Valid for	Cadet 🛛 📗 Inter 🗌			
Valid from	01 January 2023	Valid until	31 December 2024	

Reason for amendment:

Validity of homologation extended for one further period until 31 December 2024

